

IN THE CLAIMS

Please amend the claims as follows:

1. (AMENDED) A liquid-crystal display apparatus comprising:

a first substrate having a first substrate terminal for conduction between substrates, located adjacent to [the] an edge of the substrate, and having a first electrode pattern which is electrically connected to said first substrate terminal for conduction between substrates and which is arranged so as to extend toward an edge opposing the edge to which said first [substrate] terminal for conduction between substrates is adjacent; and

a second substrate having a first input terminal for input from the outside located adjacent to [the] an edge of the substrate, a second substrate terminal for conduction between substrates, which is electrically connected to said first input terminal for input from the outside, a second input terminal for input from the outside, located on both sides of said first terminal for input from the outside, and a second electrode pattern which is electrically connected to said second input terminal for input from the outside,

characterized in that said first substrate and said second substrate are located in an opposed manner so as to extend in a direction in which said first electrode pattern and said second electrode pattern intersect with each other, and

said first substrate terminal for conduction between substrates and said second substrate terminal for conduction between substrates are electrically connected to each other by a conductive material sandwiched between said first substrate and said second substrate.

Claim 2, line 3, after "first", please insert --substrate--.

Claim 2, line 4, after "second", please insert --substrate--.

Claim 4, line 3, please delete "the" and substitute --an--.

Claim 4, line 10, please delete "the" (first occurrence) and substitute --an--.

Claim 4, line 16, please delete "IC," and substitute --IC-- therefor.

Please add the following new claims:

7. (NEW) A liquid-crystal apparatus comprising:

a first substrate;

a first substrate terminal formed on said first substrate;

a first electrode pattern formed on said first substrate and electrically connected to said first substrate terminal;

a second substrate;

a second substrate terminal formed on said second substrate;

an input terminal formed on said second substrate and electrically connected to said second substrate terminal;

a second electrode pattern formed on said first substrate and electrically connected to said input terminal; and

a conductive material sandwiched between said first and second substrates and electrically connecting said first and second substrate terminals;

wherein said first substrate is disposed opposite said second substrate such that said first and second electrode patterns intersect.

8. (NEW) The apparatus of Claim 7 wherein said first substrate terminal is disposed adjacent a first edge of said first substrate.

9. (NEW) The apparatus of Claim 8 wherein said first electrode pattern extends toward a second edge of said first substrate which is opposite said first edge.

10. (NEW) The apparatus of Claim 8 wherein said first substrate terminal and said second substrate terminal linearly extend away from said first edge of said first substrate.

11. (NEW) The apparatus of Claim 7 wherein said input terminal further comprises:

a first input terminal formed on said second substrate; and

a second input terminal formed on said second substrate outboard of said first input terminal.

12. (NEW) The apparatus of Claim 11 wherein said second electrode pattern is electrically connected to said second input terminal.

13. (NEW) The apparatus of Claim 11 wherein said first input terminal is disposed adjacent an edge of said second substrate.

14. (NEW) The apparatus of Claim 7 wherein said first substrate terminal is disposed adjacent an edge of said first substrate.

15. (NEW) The apparatus of Claim 7 wherein image data is supplied to said first electrode pattern and a scanning signal is supplied to said second electrode pattern.